
Product data sheet

Specifications



Mechanical Interlock, for TeSys Giga contactor LC1G115-500, IP20

LA9G970

Product availability: Stock - Normally stocked in distribution facility

Price*: 25.00 USD

Main

Range	TeSys
Device short name	LA9G
Product or Component Type	Mechanical interlock
Accessory / separate part category	Interlocking accessory
Interlocking type	Mechanical
Range Compatibility	TeSys Giga
Product Compatibility	LC1G115...500 LC1G205...475
Poles description	3P 4P
electrical circuit type	Reversing Star-delta Changeover

Complementary

Height	2.0 in (50 mm)
Width	3.1 in (80 mm)
Depth	4.7 in (120 mm)
Net Weight	0.55 lb(US) (0.25 kg)

Environment

Pollution degree	3 IEC 60947-1
IP degree of protection	IP20 conforming to IEC 60529
Operating altitude	9842.52 ft (3000 m) without derating 5000 m with derating factor
Ambient Air Temperature for Operation	-13…140 °F (-25…60 °C)
Ambient Air Temperature for Storage	-76…176 °F (-60…80 °C)
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4

Ordering and shipping details

Category	US10I1222328

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Discount Schedule	0I12
GTIN	3606481916068
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.087 in (5.300 cm)
Package 1 Width	3.228 in (8.200 cm)
Package 1 Length	7.205 in (18.300 cm)
Package 1 Weight	8.325 oz (236.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	5.906 in (15.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.128 lb(US) (3.233 kg)

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency



RoHS/REACh

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov